



FINGERPRINT TIME ATTENDANCE AND ACCESS CONTROL SYSTEM

Security & Protection

ZKS-T24



- 🐾 It adopts advanced North Korean algorithm which is a most mature and stable biometric fingerprint algorithm nowadays
- 🐾 Fingerprint,password,card,fingerprint+password and fingerprint+card for high security and precision
- 🐾 RS232,RS485, TCP/IP and USB communication
- 🐾 Embedded Proximity or Mifare card reader, backup battery
- 🐾 Menu language: English,French,Spanish,Czech,Indonesian,Portuguese,Turkish and so on
- 🐾 3,000 fingerprint templates,everybody can register 3 fingers



FINGERPRINT TIME ATTENDANCE AND ACCESS CONTROL SYSTEM

Security & Protection

ZKS-T24

Standalone

For Demo only




TCP/IP Environment

For Demo only



Door Access Control

For Demo only





FINGERPRINT TIME ATTENDANCE AND ACCESS CONTROL SYSTEM

Security & Protection

ZKS-T24

T24 is an innovative stand-alone fingerprint recorder that can be used in both Time Attendance and Access Control applications. It can be used for door access control and as a fingerprint terminal for attendance management system and other software applications. The robust design and highly reliable performance are results of many years of research efforts and extensive testing. It is suitable for Office/ Building / Factory /Hotel / Hospital/ Bank / Defense / School.

Parameters

Item	Description
User capacity	3, 000
Transaction Storage:	80, 000
Period of data:	Keep data for 3 years when no current
Collecting rate	Port rate(9600BPS, 19200BPS, 38400BPS)
Verification mode:	1: N, 1:1
FAR	<0. 0001%
FRR	<0. 01%
Response time	<0. 7 second
Communication	RS232/RS485, TCP/IP, USB
Alarm clock	Embedded alarm clock
External functions	Connect Electronic lock(Access Control), Electronic bell
The capacity of connecting net	31 units (RS485 mode), 255 units (TCP/IP)
Distance	1200m (RS485)
Show	Time, ID number, Name
Language	English, French, Spanish, Czech, Indonesian, Portuguese and Turkish etc.
Working mode	Time & attendance, standalone, can working persistently
Time & Attendance mode	Fingerprint, password, card, fingerprint + password, fingerprint + card
Save function	Turn off device automatically for saving
Size	188*128*50 mm
Power supply	DC9V, 1A (AC 100V to 240 V, 50 to 60 Hz)
Warranty of period	24 months
Temperature and humidity	0 - 45, 20%-80%
High settings	Proximity or Mifare card reader, backup battery and USB
Applications	Office/factory/bank/hotel/school etc.



CE FC



Send Message 15 800 6000 15

If you using a mobile phone or dialing from
Dubai, Macau, Istanbul or areas outside China,
please call: (86-21) 6767 9389

www.zksgroup.com

www.zksgroup.com.br

www.zksgroup.es

www.zksgroup.co.uk

www.zksgroup.in

www.zksgroup.com.ar

www.zksgroup.fr

www.zksgroup.com.au

www.zksgroup.com.mx

www.zksgroup.ae

www.zksgroup.de